



**RACUMIN PASTE RB0,0048 4X5KG BOT PH**

Version 1 / ZA  
102000027163

1/9  
Revision Date: 20.03.2019  
Print Date: 10.06.2019

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

**Trade name** RACUMIN 3D PASTE RB0,0048 4X5KG BOT PH  
**Product code (UVP)** 80978316

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Rodenticide

**1.3 Details of the supplier of the safety data sheet**

**Supplier** Bayer (Pty) Ltd.  
27 Wrench Road, P.O. Box 143  
1600 Isando  
South Africa

**Telephone** +27 (011) 921 5911

**Telefax** +27 (011) 921 5766

**Responsible Department** QHSE - Nigel, South Africa  
+27 (011) 365 8675 (during business hours only)

**1.4 Emergency telephone no.**

**Emergency telephone no.** +27 (0861) 555 777 (Western Cape Poisons Helpline)

**Global Incident Response Hotline (24h)** +1 (760) 476 3964 (Company 3E for Bayer AG, Crop Science Division)

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Reproductive toxicity: Category 1B  
H360D May damage the unborn child.

Chronic aquatic toxicity: Category 3  
H412 Harmful to aquatic life with long lasting effects.

**2.2 Label elements**

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- Coumatetralyl
- Cholecalciferol



**Signal word:** Danger

**RACUMIN PASTE RB0,0048 4X5KG BOT PH**Version 1 / ZA  
1020000271632/9  
Revision Date: 20.03.2019  
Print Date: 10.06.2019**Hazard statements**

H360D May damage the unborn child.  
 H412 Harmful to aquatic life with long lasting effects.  
 Restricted to professional users.

**Precautionary statements**

P201 Obtain special instructions before use.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P501 Dispose of contents/container in accordance with local regulation.

**2.3 Other hazards**

Because of antivitamin K properties of the active ingredient, absorption can inhibit blood coagulation and cause haemorrhagic syndrome.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Chemical nature**

Bait (ready for use) (RB)  
 Coumatetralyl 0.0375 %; Colecalciferol 0,01 %

**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Coumatetralyl	5836-29-3	Repr. 1B, H360D Acute Tox. 2, H330 Acute Tox. 3, H311 Acute Tox. 2, H300 STOT RE 1, H372 Aquatic Chronic 1, H410	0,0375
Cholecalciferol	67-97-0	Acute Tox. 2, H330 Acute Tox. 3, H311 Acute Tox. 3, H301 STOT RE 1, H372	0,01
Sucrose	57-50-1 01-2119491293-35-xxxx	Not classified	>= 1

**Further information**

Coumatetralyl	5836-29-3	M-Factor: 10 (chronic)
		M-Factor: 10 (chronic)

For the full text of the H-Statements mentioned in this Section, see Section 16.



**RACUMIN PASTE RB0,0048 4X5KG BOT PH**

Version 1 / ZA  
102000027163

3/9  
Revision Date: 20.03.2019  
Print Date: 10.06.2019

---

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures**

<b>General advice</b>	Move out of dangerous area. When symptoms develop and persist, seek medical advice. Place and transport victim in stable position (lying sideways).
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Call a physician or poison control center immediately.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

**4.2 Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	If large amounts are ingested, the following symptoms may occur: Internal and external bleeding, shock possible Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).
-----------------	---

**4.3 Indication of any immediate medical attention and special treatment needed**

<b>Risks</b>	Because of antivitamin K properties of the active ingredient, absorption can inhibit blood coagulation and cause haemorrhagic syndrome.
<b>Treatment</b>	Treat symptomatically. Antidote: Vitamine K1. Cases of severe poisoning may require the usual measures like application of blood products or transfusions. Necessity and efficacy have to be assessed by INR. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Monitor: blood picture.

---

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

<b>Suitable</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable</b>	High volume water jet

<b>5.2 Special hazards arising from the substance or mixture</b>	Dangerous gases are evolved in the event of a fire.
--	---

**5.3 Advice for firefighters**

<b>Special protective equipment for firefighters</b>	In the event of fire, wear self-contained breathing apparatus. In the event of fire and/or explosion do not breathe fumes.
--	--



**RACUMIN PASTE RB0,0048 4X5KG BOT PH**

Version 1 / ZA  
102000027163

4/9  
Revision Date: 20.03.2019  
Print Date: 10.06.2019

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

**SECTION 7: HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

**Advice on safe handling** No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Do not store at a temperature above 40 °C. Keep away from direct sunlight.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

---

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

No known occupational limit values.

**8.2 Exposure controls**

**Respiratory protection** Respiratory protection is not required under anticipated circumstances of exposure.  
Respiratory protection should only be used to control residual risk of

**RACUMIN PASTE RB0,0048 4X5KG BOT PH**Version 1 / ZA  
1020000271635/9  
Revision Date: 20.03.2019  
Print Date: 10.06.2019

short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection**

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

**Eye protection**

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection**

Wear standard coveralls and Category 3 Type 4 suit.  
If there is a risk of significant exposure, consider a higher protective type suit.  
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

**General protective measures**

If product is handled while not enclosed, and if contact may occur: Complete suit protecting against chemicals

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

<b>Form</b>	paste
<b>Colour</b>	blue
<b>Odour</b>	weak, characteristic
<b>pH</b>	5,5 - 7,5 (1 %) (23 °C) (deionized water)
<b>Flammability (solid, gas)</b>	The product is not highly flammable.
<b>Auto-ignition temperature</b>	391 °C
<b>Density</b>	1,18 g/cm <sup>3</sup> ( 20 °C)
<b>Partition coefficient: n-octanol/water</b>	Coumatetralyl: log Pow: 1,5 (20 °C) (pH 7) Cholecalciferol: log Pow: > 5
<b>Oxidizing properties</b>	No oxidizing properties
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113

**9.2 Other information**

Further safety related physical-chemical data are not known.



**RACUMIN PASTE RB0,0048 4X5KG BOT PH**

Version 1 / ZA  
102000027163

6/9  
Revision Date: 20.03.2019  
Print Date: 10.06.2019

---

**SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity**

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**

**Acute oral toxicity** LD50 (Rat) > 2.000 mg/kg

**Acute inhalation toxicity** During intended and foreseen applications, no respirable aerosol is formed.

**Acute dermal toxicity** LD50 (Rat) > 2.000 mg/kg

**Skin corrosion/irritation** No skin irritation (Rabbit)

**Serious eye damage/eye irritation** No eye irritation (Rabbit)

**Respiratory or skin sensitisation** Non-sensitizing. (Mouse)  
OECD Test Guideline 429, local lymph node assay (LLNA)

**Assessment STOT Specific target organ toxicity – single exposure**

Coumatetralyl: Based on available data, the classification criteria are not met.  
Cholecalciferol: Based on available data, the classification criteria are not met.

**Assessment STOT Specific target organ toxicity – repeated exposure**

Coumatetralyl caused inhibition of blood coagulation possibly causing hemorrhagic syndrome in animal studies. The toxic effects of Coumatetralyl are related to antivitamin K properties.  
Cholecalciferol : May cause damage to organs through prolonged or repeated exposure.

**Assessment mutagenicity**

Coumatetralyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Cholecalciferol was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Coumatetralyl is not considered carcinogenic.  
Cholecalciferol is not considered carcinogenic.

**Assessment toxicity to reproduction**

Coumatetralyl is not considered a reproductive toxicant at non-maternally toxic dose levels.



**RACUMIN PASTE RB0,0048 4X5KG BOT PH**

Version 1 / ZA  
102000027163

7/9  
Revision Date: 20.03.2019  
Print Date: 10.06.2019

Cholecalciferol is not considered a reproductive toxicant at non-maternally toxic dose levels.

**Assessment developmental toxicity**

Coumatetralyl: May damage the unborn child.  
Cholecalciferol is not considered a developmental toxicant.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**SECTION 12: ECOLOGICAL INFORMATION**

**12.1 Toxicity**

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 53 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient coumatetralyl.
<b>Chronic toxicity to fish</b>	Oncorhynchus mykiss (rainbow trout) NOEC: 5 µg/l Exposure time: 21 d The value mentioned relates to the active ingredient coumatetralyl.
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) > 14 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient coumatetralyl.
<b>Chronic toxicity to aquatic invertebrates</b>	NOEC (Daphnia magna (Water flea)): 0,1 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient coumatetralyl.
<b>Toxicity to aquatic plants</b>	IC50 (Desmodesmus subspicatus (green algae)) > 18 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient coumatetralyl.

**12.2 Persistence and degradability**

<b>Biodegradability</b>	Coumatetralyl: < 60 %, Not readily biodegradable. Cholecalciferol: Not readily biodegradable.
<b>Koc</b>	Coumatetralyl: Koc: 258 Cholecalciferol: Koc: 426580; log Koc: > 5,63

**12.3 Bioaccumulative potential**

<b>Bioaccumulation</b>	Coumatetralyl: Bioconcentration factor (BCF) 11,4 Does not bioaccumulate. Cholecalciferol: Bioconcentration factor (BCF) 0,15 Does not bioaccumulate.
------------------------	--

**12.4 Mobility in soil**

<b>Mobility in soil</b>	Coumatetralyl: Moderately mobile in soils Cholecalciferol: Immobile in soil
-------------------------	--

**12.5 Results of PBT and vPvB assessment**

<b>PBT and vPvB assessment</b>	Coumatetralyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
--------------------------------	--



**RACUMIN PASTE RB0,0048 4X5KG BOT PH**

Version 1 / ZA  
102000027163

8/9  
Revision Date: 20.03.2019  
Print Date: 10.06.2019

Cholecalciferol: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**12.6 Other adverse effects**

**Additional ecological information** No other effects to be mentioned.

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**

**Product** In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

**Contaminated packaging** Not completely emptied packagings should be disposed of as hazardous waste.

---

**SECTION 14: TRANSPORT INFORMATION**

According to SANS 10231/IMDG/IATA not classified as dangerous goods.

14.1 – 14.5 Not applicable.

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No transport in bulk according to the IBC Code.

---

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Further information**

WHO-classification: III (Slightly hazardous)

---

**SECTION 16: OTHER INFORMATION**

**Text of the hazard statements mentioned in Section 3**

H300	Fatal if swallowed.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H330	Fatal if inhaled.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

**Abbreviations and acronyms**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road



**RACUMIN PASTE RB0,0048 4X5KG BOT PH**Version 1 / ZA  
1020000271639/9  
Revision Date: 20.03.2019  
Print Date: 10.06.2019

ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.